

BROCHADORAS HIDRAULICAS



HYDRAULIC BROACHING MACHINES





MODELO TIPO

VT

Verticales de interiores con recuperación manual de brocha.
6 a 10 toneladas de fuerza y 800 a 1250 mm de recorrido.

VT-RN

Verticales de interiores con recuperación automática de brocha.
6 a 25 toneladas de fuerza y 800 a 1600 mm de recorrido.

B-Ex.P


Verticales de exteriores con recuperación automática de panel.
6 a 25 toneladas de fuerza y 800 a 2000 mm de recorrido.

BROCH

Verticales de exteriores de cuello de cisne.
6 a 16 toneladas de fuerza y 600 a 1200 mm de recorrido.

BH

Horizontales de interiores.
10 a 16 toneladas de fuerza y 1300 a 1600 mm de recorrido.



ELEMENTOS OPCIONALES, COMPLEMENTOS Y ACCESORIOS:

- Brochas y pinzas según normas UNE, DIN, NF E...
- Husillo motorizado.
- Tirador mesa para carga de piezas.
- Control de cierre de piezas.
- Extractor de viruta.
- Alimentadores automáticos.
- Utillajes de posicionamiento.
- Carenado de cierre.
- Equipo de refrigeración.
- Autolimpieza de brochas.

MODEL TYPE

VT Vertical internal broaching machines with manual recovery of broach.
6 to 10 tons of power and 800 to 1250 mm of travel.

VT-RN Vertical internal broaching machines with automatic recovery of broach.
6 to 25 tons of power and 800 to 1600 mm of travel.

B-Ex.P Vertical external broaching machines with manual recovery of panel.
6 to 25 tons of power and 800 to 2000 mm of travel.


BROCH Vertical external broaching machines in open gap.
6 to 16 tons of power and 600 to 1200 mm of travel.

BH Horizontal internal broaching machines.
10 to 16 tons of power and 1300 to 1600 mm of travel.



**OPCIONAL
ELEMENTS,
COMPLEMENTS
AND ACCESSORIES:**

Broches and sleeves according to UNE, DIN, NF E,...rules.
Motorized spindle.
Sliding table for load of pieces.
Pieces closing control.
Extractor of swarf.
Automatics feeds.
Positioning tool.
Careening of closing.
Refrigeration equipment.
Autocleaning of broaches...



Construcciones Mecánicas Lizuan, S.A.

Barrio Juin, s/n.
Polígono 34
20720 AZKOITIA
Gipuzkoa · Spain

Tel. 943 851 775
Fax 943 851 276

E-mail: lizuan@sarenet.es